



# YELLOW ALERT!

## ***DOSH/OSHA Recordable***

**Date:** November 2008

**Re:** OSHA Recordable

The following DOSH/OSHA Recordable has occurred. In an effort to prevent similar injuries from occurring at your location, please review the injury summary shown below. Remember that a Supervisor's Incident Report is to be completed and faxed to ERNWest, within 24 hours of notification of the incident. Every accident/incident will be investigated regardless of the extent of injuries. Even a near miss or minor injury can give you causes that may stop a more serious accident from occurring in the future. Your experienced based recommendations and ideas for prevention of such an accident are welcomed and **needed**.

**I. Injury Summary:**

<b>Date Of Injury:</b>	November 29, 2008
<b>Date Reported:</b>	November 29, 2008
<b>Injury Type:</b>	Pulled muscle in left shoulder
<b>Injury Cause:</b>	Employee was opening a drawer in till when an emergency light that was sitting on top of machine began to fall. Employee caught the emergency light, but the light was heavy enough to pull the muscles in the left shoulder and arm.
<b>Action Taken to Prevent Reoccurrence:</b>	It is always our first reaction to catch falling objects so they are not damaged. In this case the object was far to heavy to attempt a catch.  Address issue at next safety committee meeting. Have emergency light permanently installed and not placed on top of machine.