

Lanyard Inspection Checklist

Manufacturer: _____
Model Number: _____
Description: _____
Serial Number: _____
Lot Number: _____
Date of Manufacturer: _____

Company: _____
Name of Inspector: _____
Signature: _____
Date of Inspection: _____
In-Service Date: _____

Lanyard Configuration

Single Leg Cable Internal Shock Absorber
 Dual Leg Web External Shock Absorber
 Non-Shock Absorber

LABELS & MARKINGS

	PASS	FAIL	NOTE
Label (Intact and Legible)			
Appropriate ANSI / OSHA / CSA Markings			
Inspections are Current / Up-to-Date			
Date of First Use			

CONNECTORS

	PASS	FAIL	NOTE
Connector (Self-Closing and Locking)			
Hook Gate bent or deformed			
Corrosion / Pitting / Nicks / Rust / Other			

MATERIAL (WEB OR CABLE)

	PASS	FAIL	NOTE
Broken / Missing / Loose Stitching			
Termination (Stitch, Splice or Swag)			
Webbing Excessive Wear			
Cuts / Burns / Holes			
Chemical Damage			
Cable Separating / Bird-Caging			

SHOCK PACK (IF PRESENT)

	PASS	FAIL	NOTE
Broken Stitching Impact Indicator (Signs of Deployment)			
Damage / Fraying			
Other			

NOTES

Examples of Lanyards

